ELSEVIER

European Journal of Pharmacology 274 (1995) 249–251

ejp

Author index

Advenier, C., see Félétou, M. (274) 57
Allard, M., see Garay, R.P. (274) 175
Allen, M.J. and Coleman, R.A.
β_2-Adrenoceptors mediate a reduction in endothelial permeability in vitro (274) 7

Bagrov, A.Y., Roukoyatkina, N.I., Pinaev, A.G., Dmitrieva, R.I. and Fedorova, O.V.
Effects of two endogenous Na^+,K^+-ATPase inhibitors, marinobufagenin and ouabain, on isolated rat aorta (274) 151
Balboni, G., see Damgé, C. (274) 133
Balster, R.L., see Mansbach, R.S. (274) 167
Baron, B.M., see Chapman, A.G. (274) 83
Benthem, L., see Coppes, R.P. (274) 33
Borg, J., see Damgé, C. (274) 133
Buciński, A., see Nasal, A. (274) 125

Caddick, S.J., Stanford, I.M. and Chad, J.E.
2-Hydroxy-saclofen causes a phaclofen-reversible reduction in population spike amplitude in the rat hippocampal slice (274) 41
Cai, G., see Gurdal, H. (274) 117
Caine, S.B., see De Fonseca, F.R. (274) 47
Canet, E., see Félétou, M. (274) 57
Chad, J.E., see Caddick, S.J. (274) 41
Chapal, J., see Damgé, C. (274) 133
Chapman, A.G., Dürmüller, N., Harrison, B.L., Baron, B.M., Parvez, N. and Meldrum, B.S.
Anticonvulsant activity of a novel NMDA/glycine site antagonist, MDL 104,653, against kindled and sound-induced seizures (274) 83
Coleman, R.A., see Allen, M.J. (274) 7
Cools, A.R., see Saigusa, T. (274) 213
Coppes, R.P., Smit, J., Benthem, L., Van der Leest, J. and Zaagsma, J.
Co-released adrenaline markedly facilitates noradrenaline overflow through prejunctional β_2-adrenoceptors during swimming exercise (274) 33

Damas, J., see Souza Pinto, J.C. (274) 101
Damgé, C., Hillaire-Buys, D., Koenig, M., Gross, R., Hoeltzel, A., Chapal, J., Balboni, G., Borg, J. and Ribes, G.
Effect of *n*-hexacosanol on insulin secretion in the rat (274) 133
De Fonseca, F.R., Rubio, P., Martín-Calderón, J.L., Caine, S.B., Koob, G.F. and Navarro, M.
The dopamine receptor agonist 7-OH-DPAT modulates the acquisition and expression of morphine-induced place preference (274) 47
De Reuck, J., see Sprumont, P. (274) 95
Diener, M., see Strabel, D. (274) 181
Dmitrieva, R.I., see Bagrov, A.Y. (274) 151
Dürmüller, N., see Chapman, A.G. (274) 83

Fanous, K., see Garay, R.P. (274) 175
Fauchère, J.-L., see Félétou, M. (274) 57
Fedorova, O.V., see Bagrov, A.Y. (274) 151
Félétou, M., Martin, C.A.E., Molimard, M., Naline, E., Germain, M., Thurieau, C., Fauchère, J.-L., Canet, E. and Advenier, C.
In vitro effects of HOE 140 in human bronchial and vascular tissue (274) 57
Frąckowiak, T., see Nasal, A. (274) 125
Fujishima, K., see Nagura, J. (274) 201
Fujitsuka, T., see Kinoshita, K. (274) 65
Fukami, T., see Ihara, M. (274) 1

Garay, R.P., Rosati, C., Fanous, K., Allard, M., Morin, E., Lamiable, D. and Vistelle, R.
Evidence for (+)-cicletanine sulfate as an active natriuretic metabolite of cicletanine in the rat (274) 175
Gerecke, U., see Rundfeldt, C. (274) 73
Germain, M., see Félétou, M. (274) 57
Grignaschi, G., Sironi, F. and Samanin, R.
The 5-HT_{1B} receptor mediates the effect of *d*-fenfluramine on eating caused by intra-hypothalamic injection of neuropeptide Y (274) 221
Gross, R., see Damgé, C. (274) 133
Guaza, C., see Sandi, C. (274) 17
Gurdal, H., Cai, G. and Johnson, M.D.
α_1-Adrenoceptor responsiveness in the aging aorta (274) 117
Gustafson, M., see Levy, A.D. (274) 141

Hachisu, M., see Nagura, J. (274) 201
Harrison, B.L., see Chapman, A.G. (274) 83
Hartikainen, T., see Ylinen, A. (274) 159
Hatake, K., Wakabayashi, I. and Hishida, S.
Endothelium-dependent relaxation resistant to N^G-nitro-L-arginine in rat aorta (274) 25
Hillaire-Buys, D., see Damgé, C. (274) 133
Hishida, S., see Hatake, K. (274) 25
Hoeltzel, A., see Damgé, C. (274) 133
Hui, C., see Nagura, J. (274) 201
Hussain, S.N.A., see Kosmas, E.N. (274) 193

Ihara, M., Yamanaka, R., Ohwaki, K., Ozaki, S., Fukami, T., Ishikawa, K., Towers, P. and Yano, M.
[^{3}H]BQ-123, a highly specific and reversible radioligand for the endothelin ET_A receptor subtype (274) 1
Ishikawa, K., see Ihara, M. (274) 1

Johnson, M.D., see Gurdal, H. (274) 117
Jortani, S.A., see Mansbach, R.S. (274) 167

Kaelin-Lang, A., see Sprumont, P. (274) 95
Kaliszan, R., see Nasal, A. (274) 125
Kameyama, T., see Ukai, M. (274) 89
Katano, K., see Nagura, J. (274) 201
Kawano, K.-i., see Nagura, J. (274) 201
Kinoshita, K., Fujitsuka, T., Yamamura, M. and Matsuoka, Y.
Effects of TA-0910, a novel orally active thyrotropin-releasing hormone analog, on the gait of ataxic animals (274) 65

Kitamura, M., see Saigusa, T. (274) 213
Kobayashi, M., see Saigusa, T. (274) 213
Kobayashi, T., see Ukai, M. (274) 89
Koch, R., see Rundfeldt, C. (274) 73
Koenig, M., see Damgé, C. (274) 133
Koivisto, E., see Ylinen, A. (274) 159
Konno, F., see Nagura, J. (274) 201
Koob, G.F., see De Fonseca, F.R. (274) 47
Koshikawa, N., see Saigusa, T. (274) 213
Kosmas, E.N., Levy, R.D. and Hussain, S.N.A.
Acute effects of glyburide on the regulation of peripheral blood flow in normal humans (274) 193
Kvist, S., see Videbæk, L.M. (274) 109

Lamiable, D., see Garay, R.P. (274) 175
Lang, A., see Männistö, P.T. (274) 229
Levy, A.D., Li, Q., Gustafson, M. and Van de Kar, L.D.
Neuroendocrine profile of the potential anxiolytic drug S-20499 (274) 141
Levy, R.D., see Kosmas, E.N. (274) 193
Li, Q., see Levy, A.D. (274) 141
Löscher, W., see Rundfeldt, C. (274) 73

Maenhaut, W., see Sprumont, P. (274) 95
Männistö, P.T., Lang, A., Rauhala, P. and Vasar, E.
Beneficial effects of co-administration of catechol-*O*-methyltransferase inhibitors and L-dihydroxyphenylalanine in rat models of depression (274) 229
Mansbach, R.S., Jortani, S.A. and Balster, R.L.
Discriminative stimulus effects of esteratic local anesthetics in squirrel monkeys (274) 167
Martin, C.A.E., see Félétou, M. (274) 57
Martín-Calderón, J.L., see De Fonseca, F.R. (274) 47
Matsuoka, Y., see Kinoshita, K. (274) 65
Meldrum, B.S., see Chapman, A.G. (274) 83
Mevissen, M., see Rundfeldt, C. (274) 73
Mizutani, K., see Saigusa, T. (274) 213
Molimard, M., see Félétou, M. (274) 57
Morin, E., see Garay, R.P. (274) 175
Mulvany, M.J., see Videbæk, L.M. (274) 109

Nagura, J., Yasuda, S., Fujishima, K., Yamamoto, M., Hui, C., Kawano, K.-i., Katano, K., Ogino, H., Hachisu, M. and Konno, F.
Pharmacological profile of ME3221, a novel angiotensin II receptor antagonist (274) 201
Naline, E., see Félétou, M. (274) 57
Nasal, A., Frąckowiak, T., Petrusewicz, J., Buciński, A. and Kaliszan, R.
Mydriasis elicited by imidazol(in)e α_2-adrenomimetics in comparison with other adrenoceptor-mediated effects and hydrophobicity (274) 125
Navarro, M., see De Fonseca, F.R. (274) 47

Ogino, H., see Nagura, J. (274) 201
Oh-ishi, S., see Tokumasu, T. (274) 225
Ohwaki, K., see Ihara, M. (274) 1
Ozaki, S., see Ihara, M. (274) 1

Parvez, N., see Chapman, A.G. (274) 83
Petrusewicz, J., see Nasal, A. (274) 125
Pinaev, A.G., see Bagrov, A.Y. (274) 151
Pitkänen, M., see Ylinen, A. (274) 159

Rauhala, P., see Männistö, P.T. (274) 229
Remacle-Volon, G., see Souza Pinto, J.C. (274) 101
Ribes, G., see Damgé, C. (274) 133
Richter, A., see Rundfeldt, C. (274) 73
Riekkinen, Sr., P.J., see Ylinen, A. (274) 159
Rosati, C., see Garay, R.P. (274) 175
Roukoyatkina, N.I., see Bagrov, A.Y. (274) 151
Rubio, P., see De Fonseca, F.R. (274) 47
Rundfeldt, C., Koch, R., Richter, A., Mevissen, M., Gerecke, U. and Löscher, W.
Dose-dependent anticonvulsant and proconvulsant effects of nitric oxide synthase inhibitors on seizure threshold in a cortical stimulation model in rats (274) 73

Saigusa, T., Koshikawa, N., Kitamura, M., Mizutani, K., Kobayashi, M. and Cools, A.R.
Dissimilarities between cholinergic and dopaminergic turning elicited by nucleus accumbens stimulation in freely moving rats (274) 213
Samanin, R., see Grignaschi, G. (274) 221
Sampaio, C.A.M., see Souza Pinto, J.C. (274) 101
Sandi, C. and Guaza, C.
Evidence for a role of nitric oxide in the corticotropin-releasing factor release induced by interleukin-1β (274) 17
Shan-Wu, X., see Ukai, M. (274) 89
Shinkai, N., see Ukai, M. (274) 89
Sironi, F., see Grignaschi, G. (274) 221
Sirviö, J., see Ylinen, A. (274) 159
Sivenius, J., see Ylinen, A. (274) 159
Smit, J., see Coppes, R.P. (274) 33
Souza Pinto, J.C., Remacle-Volon, G., Sampaio, C.A.M. and Damas, J.
Collagenase-induced oedema in the rat paw and the kinin system (274) 101
Sprumont, P., Kaelin-Lang, A., Van Lierde, S., Maenhaut, W. and De Reuck, J.
Effect of neurotropin on cerebral edema, calcium and other elements in mice subarachnoidally injected with carrageenan (274) 95
Stanford, I.M., see Caddick, S.J. (274) 41
Strabel, D. and Diener, M.
Evidence against direct activation of chloride secretion by carbachol in the rat distal colon (274) 181

Thurieau, C., see Félétou, M. (274) 57
Tokumasu, T., Ueno, A. and Oh-ishi, S.
A hypotensive response induced by des-Arg^9-bradykinin in young Brown/Norway rats pretreated with endotoxin (274) 225
Towers, P., see Ihara, M. (274) 1

Ueno, A., see Tokumasu, T. (274) 225
Ukai, M., Kobayashi, T., Shinkai, N., Shan-Wu, X. and Kameyama, T.
Dynorphin A-(1–13) potently improves scopolamine-induced impairment of passive avoidance response in mice (274) 89

Van de Kar, L.D., see Levy, A.D. (274) 141
Van der Leest, J., see Coppes, R.P. (274) 33
Van Lierde, S., see Sprumont, P. (274) 95
Vasar, E., see Männistö, P.T. (274) 229
Videbæk, L.M., Kvist, S. and Mulvany, M.J.
Time course of action of amlodipine and felodipine in the rat is most rapid in small arteries (274) 109
Vistelle, R., see Garay, R.P. (274) 175

Wakabayashi, I., see Hatake, K. (274) 25

Yamamoto, M., see Nagura, J. (274) 201
Yamamura, M., see Kinoshita, K. (274) 65

Yamanaka, R., see Ihara, M. (274) 1
Yano, M., see Ihara, M. (274) 1
Yasuda, S., see Nagura, J. (274) 201
Ylinen, A., Pitkänen, M., Sirviö, J., Hartikainen, T., Sivenius, J., Koivisto, E. and Riekkinen, Sr., P.J. The effects of NMDA receptor antagonists at anticonvulsive doses on the performance of rats in the water maze task (274) 159

Zaagsma, J., see Coppes, R.P. (274) 33